


MODULAR MULTI-STAGE AND MULTI-FUNCTION VACUUM GENERATORS


GVMM 10 and GVMM 14

Air capacity (NI/s) at different vacuum levels (-KPa)

GVMM 10




GVMM 14




Generator art.	Supply press. bar (g)	Air consumption NI/s	Air capacity (NI/s) at different vacuum levels (-KPa)										Max. vacuum level -KPa
			0	10	20	30	40	50	60	70	80	85	
GVMM 10	5.0	1.7	2.52	2.00	1.66	0.97	0.56	0.40	0.22	0.16	0.07	85	
GVMM 14	5.0	2.1	3.35	2.42	1.84	0.99	0.80	0.58	0.34	0.22	0.10	85	

Evacuation time (ms/l=s/m³) at different vacuum levels (-KPa)

GVMM 10



GVMM 14



Generator art.	Supply press. bar (g)	Air consumption NI/s	Evacuation time (ms/l = s/m ³) at different vacuum levels (-KPa)										Max. vacuum level -KPa
			10	20	30	40	50	60	70	80	85		
GVMM 10	5.0	1.7	42	97	195	384	651	951	1589	2828	4016	85	
GVMM 14	5.0	2.1	31	72	146	288	489	714	1193	2124	3016	85	

ACCESSORIES AND SPARE PARTS UPON REQUEST

Art.		GVMM 10	GVMM 14
Sealing kit and reed valve	art.	00 KIT GVMM 10	00 KIT GVMM 14
Electric connection cable with axial connector for vacuum switch	art.		00 12 20
Electric connection cable with radial connector for vacuum switch	art.		00 12 21
Electric connection cable set with built-in energy			
Saving device NO and connectors	art.		00 15 202
Electric connection cable set with built-in energy			
Saving device NC and connectors	art.		00 15 203
Digital vacuum switch	art.		12 10 10
Supply solenoid valve NO	art.		00 15 176
Supply solenoid valve NC	art.		00 15 175