



PNEUMATIC SUCTION PUMPS PA 140, PA 170 e PA 200



Art.		PA 140					
Supply pressure	bar (g)	1	2	3	4	5	6
Max. vacuum level	-KPa	15	35	55	70	85	90
Air consumption	NI/s	4.1	6.2	8.3	9.6	11.4	13.0
Quantity of sucked air	cum/h	45	80	106	125	140	152
Weight	Kg	7.2					
Art.		PA 170					
Supply pressure	bar (g)	1	2	3	4	5	6
Max. vacuum level	-KPa	15	35	55	70	85	90
Air consumption	NI/s	5.1	7.7	10.3	12.1	14.2	16.3
Quantity of sucked air	cum/h	53	98	128	150	168	182
Weight	Kg	7.2					
Art.		PA 200					
Supply pressure	bar (g)	1	2	3	4	5	6
Max. vacuum level	-KPa	15	35	55	70	85	90
Air consumption	NI/s	6.0	9.1	12.2	14.2	16.9	19.4
Quantity of sucked air	cum/h	60	110	142	170	188	200
Weight	Kg	7.2					
Working temperature	°C	-20 / +80					

Note: All the values in the table are valid at a normal atmospheric pressure of 1013 mbar (g) and obtained with a constant supply pressure.

3D drawings available at www.vuototecnica.net